



Standards



Technical Specifications



Self-adhesive zip flap for increased protection



Hood 3 pans allows much greater freedom of movement



Jersey cuffs



Double zip for easy dressing and undressing



- Breathable fabrics for a better comfort
- Antistatic material treated on both sides to facilitate the dissipation of electrostatic charges
- Bat-wing sleeve allows much greater freedom of movement
- Elasticated ankles and waist for a better fit
- Standardized against radioactive particles
- Standardized against biological risks

Material and Seam


MICROPOROUS FILM MATERIAL

Breathable material impermeable to liquid projections.



SERGED SEAMS

Offers an excellent strong seam. Appropriate for dry particulates and liquid light spray.



4 WIRES

Applications

- Industrial and automotive painting
- Composite industry and also Chemical, agro-food and pharmaceutical industries
- Handling of glues and solvents
- Projection of oil and grease
- Industrial cleaning and maintenance
- Sanding work

Technical Data

Resistance to liquids penetration strength *Test Method:* **EN 368**

Chemical properties of the fabric	Penetration	Repulsion
H ₂ SO ₄ - Sulphuric acid 30%	Class 3	Class 3
NaOH - Sodium Hydroxyde 10%	Class 3	Class 3
O Xylene	Class 2	Class 3
Butan-1-ol	Class 2	Class 3

Seams strength *Test Method:* **EN ISO 13935-2**

Chemical properties of the fabric	Results	Class
Seams strength	120 N	3/6

Reference

M	L	XL	XXL	XXXL
WL-P-02	WL-P-03	WL-P-04	WL-P-05	WL-P-06

WL-P-OX

